

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|---------------------|
| S1 | 1 | 10/593707.app. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/25 21:19 |
| S2 | 1695 | (Hirano-Jun Ng-Chan Ng-Chan-Wah Tan-Pek Tan-Pek Yew Koh-Tien-Ming Koh-Tien-Ming-Benjamin).in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/27 11:16 |
| S4 | 8 | ("20030161287" "20030117965" "20040218573" "6636498").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/27 11:27 |
| S5 | 10 | ("2003/0161287").URPN. | USPAT | OR | ON | 2010/05/27 11:51 |
| S6 | 1 | 09/993255.app. | USPAT | OR | ON | 2010/05/27 11:52 |
| S7 | 15421 | 370/312,329,331,338,349,392,396,401,466,913.ccls. | USPAT | OR | ON | 2010/05/27 12:17 |
| S8 | 3 | (mobile near5 (node host terminal)) with (mobile near5 router) same (local near5 fixed near5 router) | USPAT | OR | ON | 2010/05/27 12:19 |
| S9 | 3 | S8 and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/27 12:20 |
| S10 | 5 | (mobile near5 (node host terminal)) same (mobile near5 router) same3 (local near5 fixed near5 router) | USPAT | OR | ON | 2010/05/27 12:41 |
| S11 | 5 | S10 and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/27 12:41 |

| | | | | | | |
|-----|-------|--|-------|----|----|---------------------|
| S12 | 0 | S2 and S10 | USPAT | OR | ON | 2010/05/27 12:42 |
| S13 | 837 | (mobile near5 (node host terminal)) same (mobile near5 router) | USPAT | OR | ON | 2010/05/27 12:42 |
| S14 | 2 | S2 and S13 | USPAT | OR | ON | 2010/05/27 12:43 |
| S15 | 1 | S4 and S13 and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/27 12:43 |
| S16 | 391 | S7 and S13 and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/27 12:44 |
| S17 | 768 | (mobile near5 (node host terminal)) with (mobile near5 router) | USPAT | OR | ON | 2010/05/27 12:45 |
| S18 | 360 | S7 and S17 and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/27 12:45 |
| S19 | 5 | (mobile near5 (node host terminal)) same (mobile near5 router) and (local near5 fixed near5 router) | USPAT | OR | ON | 2010/05/27 12:45 |
| S20 | 141 | (binding near3 updat\$3) with ((home global) adj3 address) | USPAT | OR | ON | 2010/05/27 12:47 |
| S21 | 245 | (binding near3 updat\$3) same ((home global) adj3 address) | USPAT | OR | ON | 2010/05/27 12:48 |
| S22 | 115 | S13 and S21 and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/27 12:48 |
| S23 | 62 | S13 same3 S21 and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/27 12:48 |
| S24 | 245 | (binding near3 updat\$3) same ((home global "care of") adj3 address) | USPAT | OR | ON | 2010/05/27 20:40 |
| S25 | 837 | (mobile near5 (node host terminal)) same (mobile near5 router) | USPAT | OR | ON | 2010/05/27 20:41 |
| S26 | 62 | S25 same3 S24 and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/27 20:41 |
| S27 | 15421 | 370/312,329,331,338,349,392,396,401,466,913.ccls. | USPAT | OR | ON | 2010/05/27 20:42 |
| S28 | 46 | S27 and S26 | USPAT | OR | ON | 2010/05/27 20:42 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S29 | 10 | ("6167025" "20030031108" "7136365" "20040057440" "20030161287").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/28 22:21 |
| S30 | 245 | (binding near3 updat\$3) same ((home global "care of") adj3 address) | USPAT | OR | ON | 2010/05/30 11:02 |
| S31 | 837 | (mobile near5 (node host terminal)) same (mobile near5 router) | USPAT | OR | ON | 2010/05/30 11:02 |
| S32 | 10 | ("6167025" "20030031108" "7136365" "20040057440" "20030161287").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/30 11:02 |
| S33 | 1 | S31 and S30 and S32 and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 11:02 |
| S34 | 10 | (notif\$7 inform\$5 broadcast\$3 obtain\$3 request\$3 inquir\$3) with ((home global "care of") adj3 address) near5 (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 13:08 |
| S35 | 0 | "network in motion" same3 (notif\$7 inform\$5 broadcast\$3 obtain\$3 request\$3 inquir\$3) with ((home global "care of") adj3 address) near5 (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 13:09 |
| S36 | 10 | (notif\$7 inform\$5 broadcast\$3 obtain\$3 request\$3 inquir\$3 solicit\$5) with ((home global "care of") adj3 address) near5 (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 13:10 |
| S37 | 0 | "network in motion" and (notif\$7 inform\$5 broadcast\$3 obtain\$3 request\$3 inquir\$3 solicit\$5) with ((home global "care of") adj3 address) near5 (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 13:11 |
| S38 | 0 | "network in motion" same3 ((home global "care of") adj3 address) near5 (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 13:11 |
| S39 | 0 | "network in motion" same3 ((home global "care of") adj3 address) with (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 13:12 |

| | | | | | | |
|-----|-----|---|-------|----|----|---------------------|
| S40 | 13 | (notif\$7 inform\$5 broadcast\$3 obtain\$3 request\$3 inquir\$3 solicit\$5) with ((home global "care of") adj3 address) with (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 13:12 |
| S41 | 0 | "network in motion" same3 (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 16:57 |
| S42 | 0 | "network in motion" and (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 16:57 |
| S43 | 51 | ((home global "care of" reachable routable) adj3 address) with (mobile adj3 router) | USPAT | OR | ON | 2010/05/30 16:59 |
| S44 | 37 | S43 and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 17:00 |
| S45 | 37 | ((home global "care of" reachable routable) adj3 address) with ((mobile wireless) adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/30 17:11 |
| S46 | 0 | (local near5 router) with (inform\$5 notif\$7 forward\$3 request\$3 obtain\$3 stor\$3) with ((home global "care of" reachable routable) adj3 address) near5 (mobile adj3 router) | USPAT | OR | ON | 2010/05/31 09:21 |
| S47 | 1 | (local near5 router) with ((home global "care of" reachable routable) adj3 address) near5 (mobile adj3 router) | USPAT | OR | ON | 2010/05/31 09:22 |
| S48 | 14 | (local near5 router) same address with (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/31 09:23 |
| S49 | 0 | (local adj3 fixed adj3 router) same (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/31 10:38 |
| S50 | 2 | (local adj3 fixed adj3 router) and (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/05/31 10:39 |
| S51 | 14 | (mobile near5 (node host terminal)) with (binding adj update) with header and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 14:37 |
| S52 | 0 | (mobile near5 (node host terminal)) same (binding adj update) with header same (ARO (router adj2 option)) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 14:39 |
| S53 | 1 | (mobile near5 (node host terminal)) same (binding adj update) with header and (ARO (router adj2 option)) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 14:40 |
| S54 | 839 | (mobile near5 (node host terminal)) same (mobile near5 router) | USPAT | OR | ON | 2010/06/01 14:42 |

| | | | | | | |
|-----|------|---|-------|----|----|---------------------|
| S55 | 8 | S54 same (binding adj update) with header and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 14:42 |
| S56 | 16 | S54 same3 (binding adj update) with header and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 14:43 |
| S57 | 14 | S54 and (ARO (router adj2 option)) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 15:10 |
| S58 | 5 | S54 same ((delet\$3 remov\$3 eras\$3) near5 (informaiton data field)) with packet and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 17:21 |
| S59 | 14 | S54 same drop\$4 with packet and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 17:37 |
| S60 | 5 | S54 same (drop\$4 discard\$3) with packet near5 (informaiton data field) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 17:43 |
| S61 | 70 | S54 same (default near5 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 20:37 |
| S62 | 10 | receiv\$3 with (default near5 router) with stor\$3 and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 20:47 |
| S63 | 7 | receiv\$3 with (default near5 router) same stor\$3 with address and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 20:48 |
| S64 | 12 | receiv\$3 with (default near5 (router gateway)) same stor\$3 with address and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 20:49 |
| S65 | 13 | receiv\$3 with (default near5 (router gateway)) same (sav\$3 stor\$3 record\$3) with address and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 20:58 |
| S66 | 33 | receiv\$3 with (default near5 (router gateway)) same3 (sav\$3 stor\$3 record\$3) with address and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 21:00 |
| S67 | 1 | S54 and (ARO "access router option") and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 21:37 |
| S68 | 2189 | (ARO "access router option") and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 21:39 |
| S69 | 0 | (mobile adj3 router) same3 (ARO "access router option") and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 21:40 |
| S70 | 1 | (mobile adj3 router) and (ARO "access router option") and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 21:40 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S71 | 0 | (mobile near5 (router node host)) same3 (ARO "access router option") and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 21:41 |
| S72 | 3 | Ng.in. and (ARO "access router option") and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 21:42 |
| S73 | 1 | "access router option" and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 21:42 |
| S74 | 1 | S54 and (ARO "router option") and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 21:43 |
| S75 | 15 | (mobile adj3 router) and (ARO (router adj2 option)) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2010/06/01 21:44 |
| S76 | 4 | (10/584928 10/585315 12/595231 12/528417).app. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/02 07:42 |
| S77 | 839 | (mobile near5 (node host terminal)) same (mobile near5 router) | USPAT | OR | ON | 2010/06/02 07:43 |
| S78 | 0 | S77 and S76 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/02 07:43 |
| S79 | 0 | (mobile adj3 router) same3 (local adj2 fixed adj2 router) with (mobile near5 (node host terminal)) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2011/03/09 07:47 |
| S80 | 1 | (mobile adj3 router) same3 (local adj2 fixed adj2 router) same (mobile adj2 (node host terminal)) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2011/03/09 07:47 |
| S81 | 0 | (mobile adj2 (node host terminal)) with (attch\$3 connect\$3 resid \$3) with (local adj2 fixed adj2 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2011/03/09 08:36 |
| S82 | 0 | (mobile adj2 (node host terminal)) same (attch\$3 connect\$3 resid \$3) same (local adj2 fixed adj2 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2011/03/09 08:36 |

| | | | | | | |
|-----|---|--|-------|----|----|---------------------|
| S83 | 1 | (mobile adj2 (node host terminal)) same (attch\$3 connect\$3 resid \$3) same (local adj2 router) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2011/03/09 08:37 |
| S84 | 0 | (mobile adj3 router) same3 (local adj2 fixed adj2 router) same (local adj3 network) and (@ad<"20040325" @rlad<"20040325") | USPAT | OR | ON | 2011/03/09 08:38 |

3/ 9/ 2011 10:39:22 AM

C:\ Documents and Settings\ yzhou\ My Documents\ EAST\ Workspaces\ 10593707.wsp